

The semi-smooth C-Type envelopes will display banners to great effect. The 12 gore envelope is constructed by sewing together 24 half-gores. Each half-gore consists of six nylon panels, including two quarter lenticular panels.

The narrow row of panels at the base of the balloon is made from fire resistant Nomex™.



References for the panels - from the Nomex™ upwards - are A, Bx, By (lenticular panel), Cx, Cy (lenticular panel), and D.

A parachute top is standard. This is constructed from 24 panels that radiate from a center patch.

For horizontally based patterns such as spirals or vertical stripes the number of colors used must divide evenly into 16, color sequences that do not divide evenly into 16 will result in an asymmetric color pattern.

There is no extra charge for changes of fabric color at any of the lines shown on the chart if the colors are from the standard Cameron range.

The standard Cameron Nomex™ colors are also listed below and should only be used in the Nomex™ base panel and Scoop.



Due to the differences in computer monitors, color pencils, markers, and other media PLEASE mark the colors used in your design.

STANDARD
FABRIC COLORS

RED

ORANGE

WARM SAND

YELLOW

LIME

KOOL GREEN

HOLLYBUSH

TURQUOISE

AZURE

MID BLUE

ROYAL

NAVY

GRAPE

PURPLE

BURGUNDY

PINK

BROWN

WHITE

GRAY

BLACK

SILVER

GOLD

*Silver & Gold are
Metallic Fabrics

STANDARD
NOMEX™ COLORS

RED

ORANGE

YELLOW

GREEN

ROYAL

NAVY

BLACK